



**Company Profile** 

**Main Business** 

**Project & Partner** 

Company Profile



## **♦** GVS Registration Information

Company Name	Guangzhou Video-Star Intelligent Corp. Ltd			
Stock Name/Code	<b>870976</b>			
Enterprise Type	Corporated Enterprise			
Equity	About 3.3 million shares			
Earnings per Share	Announcement on board			
Annual Turnover	RMB 150M (about 20 million EURO)			
Main Business	Smart Security / Smart Building / Smart Medical & Elderly Care Solution			
Industry Status	Security / Building Automation; Leading KNX Brand in China			



#### Milestone Events



Established in 1999, GVS entered the security industry with its 1<sup>st</sup> generation product - CRT display modules, the company soon extended its product line to TFT, home & building automation, video intercom by continuous investment and innovation in the industry. As a pioneer in the smart security and building industry, GVS keeps on contributing to the industry in the coming decades...

In 1999

GVS founded with the 1<sup>st</sup> generation B/W CRT display module



2007

60% market share on the video door phone display modules globally



2016 1st & only native

council member of KNX China National Org.



2018

Smart Healthcare Dept. founded, became a core business in GVS.
N.A. CBU founded, Vine

N.A. CBU founded, Vine thermostat introduced to N.A market



2003

Landed in Europe, became the first Chinese supplier on display modules



2008

1<sup>st</sup> KNX Member in China, smart home and building became a strategic part in GVS



2017

Listed in the New OTC market in China

Stock code: 870976







#### Qualifications



## 217+ patents, copyrights and certifications

- ◆ Initiated and directed compilation of the int'l standard *IEEE1888.4 Green Smart Home and Building Control Network Protocol*
- Presided and drafted the national standard Building Automation and Control System Protocol (GB/T 28847)
- ◆ Participated in compilation the of national standard Control Network HBES Tech Standardization Home and Building Control System (GB/T 20965-2013)






## **♦** Core Competence

#### **Key Supplying Chain**

Design and market competitive touch screen with core IC, customization in all product categories.



#### Stack

KNX stack developed by GVS, bridge other technologies with KNX protocol to serve target clients with more integrated technology.

#### **Product Solution**

With numbers of embedded technology solutions, GVS is able to offer the market with products costefficient.


#### "Cloud – Mobility"

Commercialized cloud applied in users' end, connecting smart home and security with cloud service to realize mobility in this industry.



## **♦** Company Structure

## Guangzhou Video-Star Intelligent Corp., Ltd Company Structure






#### **♦** Staff Structure



350 Staff

GVS Staff Diploma Statistcs								
Diploma	Doctor Degree	Master Degree	Bachelor Degree	Junior College	Senior High	Junior High		
No.	3	13	93	77	101	63		
Per.	0.75%	3.73%	26.62%	22.14%	28.86%	17.91%		
Total	402							





#### Senior KNX Member in China

#### 10 years KNX R&D + manufacture experience

- Earliest KNX member in China 2008
- First authorized KNX Training Center in China -2010
- First native board member of KNX CHINA 2016
- Chairman of KNX CHINA -2018
- The company which invested the most into KNX R&D and marketing work









#### **♦** GVS - Branches

#### San Francisco, U.S.A

Consumer Business Unit Innovation Center 5673 W. Las Positas Blvd. Pleasanton, CA 94588

#### Shanghai, China


Customer Experience Center Building 18, No. 1800, Zhongshan Xi Rd., Xuhui District, Shanghai





#### Guangzhou, China **Headquarter**

F3/Bldg 5, Lanyu 4<sup>th</sup> St., Huangpu Distr., Guangzhou





## Competitiveness - Fair & Exhibition























#### **♦** Re-definition

## **Guangzhou Video- Star**




# Global Value Service

To become the most valuable smart IoT service provider








#### **Smart Security - IP intercom system - In General**


# H Series IP Video Intercom System

Based on full digital TCP/IP protocol, the H series IP system is available with functions of video intercom, multi channel calling, intercom function, broadcast function, alarm function, smart home function, APP function etc.





#### **Smart Security** - IP intercom system - Topology





E-Button

Smoke Detector

#### Main Business

#### **Smart Security** - IP intercom system - How it works?





#### **Smart Security - IP intercom system - Monitors**





10.1" Indoor Monitor















7"/4.3" Indoor Monitor

**Audio Phone** 











1-Button Mini Outdoor Station

■ All support 24V/48V PoE Switch

- 10.1 inch glass faceplate
- Full capacitive touch
- 24V/48V PoE Switch optional
- Auto-photo-capture, resolution 1024\*600
- Mobile app with video talk, unlock, monitor functions etc.

- 7 inch glass/acrylic faceplate with full capacitive touch
- 4.3 inch acrylic faceplate with touch key (economic)
- Audio phone with classic design and low cost
- All support 24V/48V PoE Switch
- Resolution: 800\*480, 480\*272
- Mobile app supported on 7 inch

- 7 inch glass faceplate with full capacitive touch, face recognition supported
- Visual angle from 110° to 123°
- Camera: 0.3 mega pixel 2 mega pixel
- IC card supported



#### Globle Value Service

#### **Smart Security - IP intercom system -** Accessories





7" Guard Unit Monitor

**PC Software** 









**Lift Calling Module** 

**Lift Control Module** 

**Alarm Module** 

**Power Supply** 









6+2 PoE Switch

**IP Camera Gateway** 

**Defence Zone Extension Module 7"** 

**Card Reader** 


- 7" capacitive touch screen, resolution: 800\*480
- Card registration function
- PC software for big building project

- Lift calling/control function
- Alarm function
- Power supply for small

- 6+2/7+1 PoE switch, 24V/48V
- Connection up to 255 cameras
- Extra defense zone supported
- Single card reader supported





#### **Smart Security** – 2 wire intercom system – Topology













#### Globle Value Service

#### **Smart Security – 2 wire intercom system – Monitors**











7" Indoor Monitor L/H

7" Indoor Lite

4.3" Indoor TK

AP

- Indoor monitor AP, 4.3" TK, 7" TK, 7" TP
- 2 wire non-polarized technology
- Max. 4 sets in one apartment, 128 in one system













1-2-4 Button Mini Outdoor Silver

1-2-4 Button Mini Outdoor Silver





7" Outdoor Touch

2.8" Outdoor Button

- 1-2-4 button mini outdoor station
- Aluminum faceplate with elegant design
- Card reader supported
- Visual angle 90°
- Silver & black available

- 7 inch full capacitive touch and 2.8" button available
- Visual angle from 110°
- Camera: 0.3 mega pixel
- Name list supported
- IC card supported



#### **Smart Security - IP intercom system -** Accessories







**System Power Supply** 

**Extended Power Supply** 

**Mini Power Supply** 











**Outdoor/Indoor Distributor** 

**Relay Module** 

**A-Camera Interface** 

**Name List Tool** 

- System Power Supply
- Max. 8 Extended Power Supply in one system
- System supports up to 128 indoor monitors
- Mini Power Supply for single apartment/house

- Outdoor Distributor allows max. 3 main outdoor stations per system
- Indoor Distributor allows max 4 connections
- Max. 4 indoor distributor per extended power supply
- Relay control module for a 2<sup>nd</sup> door lock
- Max. 3 channels for analogue cameras per interface (actual number is related to outdoor, which connects ≤ 3)
- The Tool allows feasible programming of name list on main outdoor station



#### Globle Value Service

#### **Smart Security – TFT & Display Modules**











1.2" TFT

3.5" TFT

4.3" TFT

7" TFT

10.1" TFT



- Customizable with different sizes
- Widely used in security industry and household appliances
- 20 years experience in TFT display business









3.5"/4.3"/7"/10.1 Display Module

#### **Video Intercom Display Module**

- Typical tailored display module for video intercom
- 20 years experience on module design and manufacture














#### **Smart Building** - KNX Building Automation system













#### **Smart Building** - KNX Building Automation system – Why KNX?

AN INTERNATIONAL STANDARD

the Only Open Protocol for home and building automation worldwide

30
widely used over 30 years since EIB age


435 members spreading over 39 countries

7000

Over 7000 brands are connected with KNX globally




#### **Smart Building** - KNX Building Automation system — Topology Home






#### **Smart Building** - KNX Building Automation system — Topology Office





#### **Smart Building** - KNX Building Automation system — Topology Hotel






#### **Smart Building** - KNX Building Automation system – Actuators













Switch Actuator, 4/8/12-fold, 16A/20A, current measurement optional

Switch Actuator, 24-fold

**Room Controller Classic** 

**Room Controller Premium** 











Switch Actuator, 8-fold, 10A

**Shutter Actuator, 4-fold** 

Fancoil Actuator, 0-10V

Switch Actuator, 8-fold, 6A

Switch Actuator, 12-fold, 6A















Dimming Actuator, 1/2/4-fold

0-10V Dimming Actuator

1-10V Dimming Actuator

LED Dimmer, 4A

**Dali Dimming Controller** 



#### **Smart Building** - KNX Building Automation System - Panels







5" Touch Panel Slim, silver/black/gold









3.5" Touch Panel Slim, silver/black/gold

**Thermostatic Panel** 

#### **KNX 5" Touch Panel**

- capacitive touch
- 3 colors silver, black, gold
- Standard KNX protocol
- Main KNX functions supported

#### KNX 3.5" Touch Panel

- capacitive touch
- 3 colors silver, black, gold
- Standard KNX protocol
- Main KNX functions supported
- KNX 3.5" Thermostatic Panel for HVAC control



#### **Smart Building - KNX Building Automation System - Panels**





















55mm series: Push Button Sensor Plus, 1/2/3/4-gang, b/w;

KNX Thermostat, b/w











6-Button Touch Panel Slim, silver/black/gold

6-Button Touch Panel, classic

#### **Standard European KNX Push Button Series**

- 1/2/3/4-gang KNX push button 55mm
- KNX Thermostat 55mm
- White/black, matt/shiny finish available
- 100% fits Gira, Jung, Siemens, Hager frame

#### **6-Button Touch Panel**

- KNX touch button
- RGB led indicators
- Customization on icons



#### **Smart Building - KNX Building Automation System - Panels**





























#### **KNX Input Device**

- Brightness & Motion Sensor
- Air quality sensor
- Universal Interface 4-fold
- Binary Input 4-fold
- IR Transmitter, IR Learner

#### **KNX Converter/Gateway**

- KNX/RS485 Converter
- KNX/RS232 Converter
- KNX/IP Interface
- easyControl APP Server

#### **KNX System Device**

- KNX Power Supply 640mA
- KNX/IP Router
- KNX Line Coupler
- KNX/RF Transceiver
- KNX/USB Interface



#### **Smart Building** - KNX Building Automation System - App service




easyControl App Gateway

- Support max. 5 channels data conversion between KNX & RS485/232
- Built-in Apache server and SQL database
- Support server login via web browser
- Support online programming
- App available for remote control via cloud service
- All typical KNX functions supported













**Smart Building - CBU Product - WIFI Thermostat** 

## **Smart Wi-Fi Thermostat**

Color Touch Screen

Amazon Alexa/ Google Home

Remote Control

Supports IOS / Android



















Wi-Fi Thermostat – Model TJ-919



Wi-Fi Thermostat – Model TJ-610

#### **Smart Health Care - Medical & Elderly Care Solution**







**Smart Ward Call Components** 











**Smart Hospital Infusion System** 

**Elderly Care System** 







**Smart Nursing Components** 




#### Main projects and clients location











## **Guangzhou Subway Project**

Location: Guangzhou, China

Details: KNX in line 13, 14, 21, altogether 40 stations

GVS has finished the KNX automation part in the latest THREE Guangzhou new subway lines. The whole project has already been finished at the end of 2018. It is now the LARGEST KNX AUTOMATION SYSTEM being applied in subway systems worldwide.



#### The Imperial Palace Museum

Location: Beijing, China

Details: KNX in the new digital multi-media hall

By using K-BUS solution, the old Imperial Palace Museum has come to life again after so many years quietness, with an integrated solution including lighting, shutter, background music, security, the museum and the meeting hall has realized the modern functions and automation easily.











#### Falkensteiner Schlosshotel Velden

Location: Velden am Worthersee, Austria

Details: KNX 5" Touch Panel for renovation

The Falkensteiner Schlosshotel Velden, as a hotel of the leading hotels worldwide, has a KNX system installed 10 years go by ABB i-bus. With the help of the classy K-BUS 5" Touch Panel from GVS, the renovation work was a big success, helping this famous 5-Star hotel shine again after years of wornout KNX automation system.





#### **Fairmont Abu Dhabi Hotel**

Location: Abu Dhabi, UAE

Details: KNX Thermostatic Panel

Benefit from the exclusively designed thermostat from GVS, the system integrators have successfully integrated 1,500 pcs of K-BUS thermostatic panel along with several other brands to automate the most luxurious Fairmont Abu Dhabi Hotel in Abu Dhabi.





### **Kuala Lumpur Eco City**

Location: Kuala Lumpur, Malaysia

Details: KNX Thermostatic Panel

As a special business & residential complex, the KL Eco City in Malaysia has planned environmentally friendly systems, among which KNX is one of the most important factor. Over 1,500 pcs of K-BUS devices have contributed to the automation of the building, helping the project win the first GBI Gold Medal in Malaysia.







## **Other featured KNX projects**



Estonian National Museum



Beijing Olympic Museum



Golf Villas in Suzhou



CR Land in Nanjing



The Trial Court Building In Jinnan, China



Wanshan Hotel in Zhuhai



News Gathering Center



Zhongguancun Internet Financial Center



New World Villas in Foshan



1865 Pioneer Park in Nanjing



Wuxi Taihu International Expo Center



COFCO Beijing Future Technology City project











#### **Smart Istanbul Residential Condo**

Location: Istanbul, Turkey

Details: 3000 residential apartments with IP VDP

Device Used: H-IS01 7" Indoor Monitor

H-OS02 4.3" Outdoor Station

H-VS01 Mini Outdoor Station

H-SW 6+2 PoW Switch

H-GU01 Guard Unit

H-Cam IP Camera Gateway

Contractor: B Company; ODM

Supplier: GVS



#### Yun Shan Shi Yi Condo

Location: Guangzhou, China

Details: 1,600 residential apartments with IP VDP

Device Used: H-IS01 7" Indoor Monitor

H-OS02 4.3" Outdoor Station

H-VS01 Mini Outdoor Station

H-SW 6+2 PoW Switch

H-GU01 Guard Unit

H-Cam IP Camera Gateway

Contractor: Fang Yuan Real Estate; OEM Supplier:

**GVS** Company







## **Champs-Elysees Residential Condo**

Location: Chong Qing, China

Details: 1,200 residential apartments with IP VDP

Contractor: Trendzone Decoration; OEM

Supplier: GVS Company





## **Other featured VDP projects**











Wuxi Spring Garden



Bohai Building



Shanghai Hong Jun Villas



### **Strategic Partners in Real Estate Industry**























trendzône ☑ DECORATION 全 筑 股 份



# THANKS

Together, we can make it smarter and better.



Contact us:

TEL: +86-20-82068917

E-mail: info@video-star.com.cn

Sie: www.video-star.com.cn